

COM OIS AVNCS REDUNDANCY	http://avionicswiki.com/cocmr.html
COM OIS CAB MAINT REDUNDANCY part 1	http://avionicswiki.com/cocmr.html
COM OIS CAB MAINT REDUNDANCY part 2	http://avionicswiki.com/cocmr.html
COM VHF EMER SUPPLY REDUNDANCY	SYSTEM REPORT/TEST ATA 23/MVDR1 OR MVDR2
COMMERICAL PARTIAL SHED	COCKPIT DOOR IFE SWITCH NOT ON
COND EMERGENCY RAM AIR TEST	SYSTEM REPORT/TEST ATA 21/CPCS
COND TEMP REGUL REDUNDANCY	SYSTEM REPORT/TEST ATA 21/AGS/TESTS/NO BLEED/1&2
COND VENT CTL REDUNDANCY	CANNOT CONFIRM ON GROUND
COND VENT LOCAL CTL REDUNDANCY	SYSTEM REPORT/TEST ATA 21/VCS
CONDITION EMERGENCY RAM AIR TEST	SYSTEM REPORT/TEST/21/CPCS/ERA1
DATE/TIME STAMP INCORRECT ON OMT MTC PAGE	PERFORM SYSTEM DATE RESET PER A350-A-46-12-02-0A003-345A
DOOR CAB PRESS COM REDUNDANCY	SYSTEM REPORT/TEST ATA 52/DSCS1 OR DSCS 2
DOOR CKPT DOOR CTRL SENSOR REDUNDANCY	SYSTEM REPORT/TEST ATA 52/CDLS
DOOR POS MONITORING REDUNDANCY	SYSTEM REPORT/TEST ATA 31/FWS
DOOR RESIDUAL DIFF PRESS DET	RESET DSCS ON OVERHEAD. IF DM DISPLAYED AFTER A/G SIMULATION MEL DM. REQUIRES 2.5 DIFF. CLEARS IN FLIGHT
EBAS FAULTS	FADEC MUST BE ON BEFORE BITE TEST EBAS
EFB ISSUES	46-26
EFB ISSUES_NON AIRCRAFT COMPONENT	ATA CODE 46-26 FOR STARTING EFB ON AIRCRAFT
EFIS FAULT FCU BLANK	RESET FCU ON OVERHEAD OR ON THE MCDU MENU SELECT FCU BACKUP AND EFIS DE-DESELECT BACKUP MODE
ELEC CABIN POWER PROTECTION DEGRADED (DIRTY POWER SWITCH TO APU POWER).	IF APU POWER NO HELP PERFORM EPDS SYSTEM TEST SIDE 1/2. REF A350-71-XX-0A001-343A-A
ELEC EMER DISTRIBUTION REDUNDANCY SYSTEM REPORT/TEST ATA 24/EPDS AND EXT LT	IF 24 EPDS IS NO HELF, PERFORM FULL COLD START. REF A350-A-24-XX-XX-00001-132A
ELEC NORMAL DISTRIBUTION REDUNDANCY SYSTEM REPORT/TEST ATA 24/EPDS AND EXT LT	IF 24 EPDS IS NO HELF, PERFORM FULL COLD START. REF A350-A-24-XX-XX-00001-132A
ELEC RAT SHEDDING REDUNDANCY SYSTEM REPORT/TEST ATA 27/FCGS1/TEST/SHEDDING	A350 TSM 24-24
ELECTRICAL PAGE SHOWING AMBER X'S FOR AC OR DC BUSES	SYSTEM TEST SIDE 1/2. REF A350-71-XX-0A001-343A-A
EMER TR 1/2	RESET OVERHEAD EMER 1 OR 2 A350-A-24-3X AMM
ENG 1 FIRE BOTTLE 1 SQUIB REDUNDANCY	SYSTEM REPORT/TEST ATA 26/FPS1 OR FPS2
ENG 1 FIRE BOTTLE 2 SQUIB REDUNDANCY	SYSTEM REPORT/TEST ATA 26/FPS1 OR FPS2
ENG 1 or 2 Control Sys DPM.	Turn on EEC's. for 1 Min and back of off.
ENG 1(2) FAIL	RESET FWS 1 AND 2 ON OVERHEAD
ENG 2 FIRE BOTTLE 1 SQUIB REDUNDANCY	SYSTEM REPORT/TEST ATA 26/FPS1 OR FPS2
ENG 2 FIRE BOTTLE 2 SQUIB REDUNDANCY	SYSTEM REPORT/TEST ATA 26/FPS1 OR FPS2
ENG BLEED 1 OR 2 DISPATCH PAGE.	CYCLE ENG BLEED SWITCHES ON OVERHEAD. IF NOT HELP USE OMT TO TROUBLESHOOT.
ENG Start Selector Dispatch Message	73/EIF1/2 And ETRAC1/2 Eng start Selector Test.
F CTL ADR IR ISIS DATA REDUNDANCY	SYSTEM REPORT/TEST ATA 27/FCGS1 OR FCGS2
F CTL GYRO ACCLMTR REDUNDANCY SYSTEM REPORT/TEST ATA 27/FCGS1 OR FCGS2	SYSTEM REPORT/TEST ATA 27/FCGS1 OR FCGS2
F CTL LAWS REDUNDANCY	SYSTEM REPORT/TEST ATA 27/FCGS1 OR FCGS2
F CTL REDUNDANCY	SYSTEM REPORT/TEST ATA 27/FCGS1 OR FCGS2
F CTL SIDESTICK PRIORITY REDUNDANCY	SYSTEM REPORT/TEST ATA 27/FCGS1 OR FCGS2
F LETTER ON DISPLAYS	REBOOT OIS/AVIONICS SYSTEM
F/CTL > F/CTL FLAP ADGB 2750F80U/2750H410	Do Interactive Bite flap 1/2 specific functions NVM reset.
F/CTL PRIM DISPATCH MESSAGE AND OR INOP LIGHT ON PRIM SW LIGHT	RESET SWITCH LIGHT/RESET C/B PRIM 1(3HZ11) PRIM 2(4HZ10) PRIM 3 (1KZ10), TSM A350-A-27-93-XX
F/CTL SEC DISPATCH MESSAGE AND OR INOP LIGHT ON SEC SW LIGHT	RESET SWITCH LIGHT/RESET C/B SEC 1(3HB05) SEC 2 (4HB01) SEC 3 (1KZ12) TSM TSM A350-A-27-94-XX
F/CTL SPLR HYD MECH	SYSTEM REPORT/TEST ATA 27/FCGS 1 OR 2
F/CTL SPLR HYD MECH	SYSTEM REPORT/TEST ATA 27/FCGS 1 OR 2
F/CTL TURBULENCE DISPATCH FAULTS	CYCLE PRIMS AND SEC'S SWITCHES, NO HELP REALIGN ADIRU'S
FAP MSG'S DEFFERRAL	TOPPS 50-10-05
FAP MSG'S DEFFERRAL	USE MSG TOPPS 50-10-05

FAP RESET	CYCLE GALLEY MAIN POWER SWITCH ON GALLEY BEFORE COCKPIT DOOR
FLIGHT PLAN NOT INITIALIZING OR RECEIVING FROM DISPATCH	SWAP FMS DATABASE, SWAP BACK TO ORIGINAL AND TRY TO LOAD FLIGHT PLAN AGAIN
FUEL TK DATA REDUNDANCY	SYSTEM REPORT/TEST ATA 28/FQMS
FWS CPNY DATABASE MSG	CPIOM J12 TEST, CDLCU RESET 3101MQ, 3201TF, AND 3118TF
GATE LINK AND SATCOM NOT AVAIL BOTH ARE GREEN	PERFORM SYSTEM DATE RESET PER A350-A-46-12-02-0A003-345A
GATE LINK INOP/SATCOM INOP ON IPCOM PAGE	WACS RESET-UNLATCH GATEWAY SW 1 MIN. BITE TEST TWLU
GATE LINK INOP/SATCOM INOP ON IPCOM PAGE	BITE TEST TWLU-OSF/TESTS/MODULES/TWLU
GATE LINK INOP/SATCOM INOP ON OIS EFB EXPORT PAGE	NOT AIRCRAFT PROBLEM IF IPCOM AVAIL AND GREEN AT LEAST 1 OF
GATE LINK INOP/SATCOM INOP ON OIS EFB EXPORT PAGE	THE TREE AVAIL AND CONNECTED. INFORM EFM MANAGER. AC OK SVC
GEAR DOORS WILL NOT RETRACT OR STOW AFTER AECM TEST OR POWER INTERUPT.	PUT GEARS PINS IN. SELECT GRAVITY EXTN TO RESET FOR 6 MINS THEN OFF. RESET LGRS 1 AND 2 AND ANY LATCHED.
GWDU(Galley Waste Disporsal Unit)	Perform flush cycle MSG on FAP. Perform VTS (38) Bite.
HYD G SYS PRESS MONITORING REDUNDANCY	SYSTEM REPORT/TEST ATA 29/HYD-G1(HYD-G2
HYD G SYS TEMP MONITORING REDUNDANCY	SYSTEM REPORT/TEST ATA 29/HYD-G1(HYD-G2
HYD G1/G2 ISOLATION LIGHT ON OVERHEAD	RESET REQUIRES MTC HOMEPAGE/ATA29/HYD G1/G2/TESTS/ENGINE PUMP TESTS/ENG 1/2 FIRE SHUTOFF VALVE TEST.
HYD G1/G2 ISOLATION LIGHT ON OVERHEAD	RESET REQUIRES MTC HOMEPAGE/ATA29/HYD G1/G2/TESTS/ENGINE PUMP TESTS/ENG 1/2 FIRE SHUTOFF VALVE TEST.
HYD Y SYS PRESS MONITORING REDUNDANCY	SYSTEM REPORT/TEST ATA 29/HYD-Y1(HYD-Y2
HYD Y SYS TEMP MONITORING REDUNDANCY	SYSTEM REPORT/TEST ATA 29/HYD-Y1(HYD-Y2
HYD Y1/Y2 AUTO BLEED	RESET FAILURE AUTOBLEED COUNTER-29/SPECIAL FUNCTIONS
HYDRAULIC G PUMP	PERFORMED HYDRAULIC G PUMP TEST BITE OMT, DO MCPU TEST
IFE INOP. IN PROGRESS C/CORE waiting on server. IN PROGRESS Etc.	SPBD14 AFT CARGO. REMOVE SLOT A IN 1401XY FOR 10 MINS AND RE-INSTALL.
IFE RESET	CYCLE GALLEY MAIN POWER SWITCH ON GALLEY BEFORE COCKPIT DOOR
Integral Lights Dimmer Reset	CB 3101LF 1KN02.
IP COM MESSAGING STATUS SHOWS AMBER SERVICE FAILED	PERFORM SYSTEM DATE RESET PER A350-A-46-12-02-0A003-345A
KCCU ISSUES	OVERHEAD KCCU RESET SW'S. CAPTS CB (3101WT, 1KM01, 3201WT,5AF04) F/O 3102WT, 3202WT, 2KF04, 6AF08)
L G GEAR MONITORING REDUNDANCY	SYSTEM REPORT/TEST ATA 32/BSCS1 THEN BSCS2
L G GRVTY EXTN A REDUNDANCY	SYSTEM REPORT/TEST ATA 32/BSCS1 THEN BSCS2
L G GRVTY EXTN B REDUNDANCY	SYSTEM REPORT/TEST ATA 32/BSCS1 THEN BSCS2
L G L G DOWNLOCK REDUNDANCY	SYSTEM REPORT/TEST ATA 32/BSCS1 THEN BSCS2
L/G MAIN DIAGREE MESSAGES	LGCIS 1 AND 2 BITE SPECIAL FUNCTIONS SELECT LATCHED FAULT, AND RESET LGCIS SW'S ON O/H
LAV FAP MESSAGES	PERFORM 38/VTS TEST ON OMT
LGCIS 1 AND 2	BITE SPECIAL FUNCTIONS SELECT LATCHED FAULT, AND RESET LGCIS SW'S ON O/H
LOSS OF OIS CAB AND MAINT DISCRETE INPUT REDUNDANCY	OPEN WORLD SYS REPORT/BITE/OSF/TESTS/SYS TEST
MP-PP	MANAGEMENT POWER-PAYLOAD POWER
NAV AIR DATA REDUNDANCY LOST	SYSTEM REPORT/TEST ATA 31/FWS
NAV GNSS 1/2 REJECTED	REALIGNED INS/MRR BITE TEST 34-1X TSM
NAV RA SYS A ERRONEOUS DATE	RESET CB 1CE05
NAV RA SYS B ERRONEOUS DATE	RESET CB 2FA06
NAV RA SYS C ERRONEOUS DATE	RESET CB 1FC03
NO EFB DISPLAYED	Start Doc station w/ 2 green lights. Remove tablet, Push Pwr Button, Install
OIS CAB MAINT SERVER REDUNDANCY	OPEN WORLD SYS REPORT/BITE/OSF/TESTS/SYS TEST
OIS CAB MAINT SERVER REDUNDANCY REC COMP	OPEN WORLD SYS REPORT/BITE/OSF/TESTS/SYS TEST
OIS CAPT+F/O OIS DISPLAY	TSM A350-A-46-12-02-01001-429A-A /Perform ENRM module test/Reboot OIS/Perform ENRM Module test again.
ONBOARD AUTHENTICATION CERTIFICATE EXPIRED OR REVOKED	PERFORM SYSTEM DATE RESET PER A350-A-46-12-02-0A003-345A
OXY CTL REDUNDANCY	SYSTEM REPORT/TEST ATA 31/FWS
PED INOP	CYCLE 1 AND 2 CIDS RESETS, TURN ON PAX SYS AND PED ON FAP P/B'S
PRIM S/W LIGHT INOP ON OVERHEAD	CYCLE SWITCH PRIM 1/2/3 FIRST, IF NO HELP THEN RESET C/B. PRIM1(3HZ11),PRIM2(4HZ10), PRIM3(1KZ10)
RECORDER VQAR	RE-ALIGN ADIRU'S/CDAU 5AF05/3205TU. RESET ASF 1FD03,1JB04,1CA02,3HC05

RNP AR	REQUIRED NAVIGATION PERFORMANCE AS REQUIRED. ALIGN ADIRU
RNP AR CAPABILITY DEGRADED	RE-ALIGN ADIRU, CYCLE PRIM SWITCHES, Do cold start, A350-A-24-XX-XX-01001-132A-A/EPDC2
RNP AR CAPABILITY DEGRADED W/YELLOW PUMP DU BUS OFF INOP	
RUDDER CONT TRIM 1 OR 2	RESET SEC'S SWITCHES ON OVERHEAD
SATCOM INOP (CB 1JA06)	RE-RACK THE SDU, 23 ACR BITE, SYS TEST, 23 SATCOM BITE TEST
SEC S/W LIGHT INOP ON OVERHEAD	CYCLE SWITCH SEC 1/2/3 FIRST, IF NO HELP THEN RESET C/B. SEC1(3HB05),SEC2(4HB01), SEC3(1KZ12)
SMOKE AFT BULK CARGO BTLs REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE CABIN REST DET REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE DET REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE FWD CARGO BTLs REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE FWD CARGO DET REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE FWD AFT CARGOS BTL 1 REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE FWD AFT CARGOS BTL 2 REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE FWD AFT CARGOS BTL 3 REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE IFE BAY DET REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE L AVNCS DET REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE LAVATORY DET DISPATCH MESSAGE	CHECK FAP TO SEE WHICH IF ANY LAV IS AMBER FAULTED. SYSTEM REPORT/TEST ATA 26/SDS IF NO HELP DUE COLDSTART.
SMOKE R AVNCS DET REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE SMOKE FWD AFT CARGOS BTLs REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SMOKE SMOKE PAX BBAND DET REDUNDANCY	SYSTEM REPORT/TEST ATA 26/SDS
SURV GPWS REDUNDANCY SYSTEM REPORT/TEST ATA 34/AESS	RESET AESU ON OVERHEAD
SURV TAWS REDUNDANCY NOT POSSIBLE AT THIS TIME	RESET AESU ON OVERHEAD
SURV TCAS 1 OR 2 FAULT	RESET AESU ON OVERHEAD
SURV TERR SYS REDUNDANCY	RESET AECU'S ON OVERHEAD/SYSTEM REPORT/TEST ATA 34/AESS
SURV XNDPR TCAS SYS 1	RESET AESU ON OVERHEAD
TR 1/2	RESET OVERHEAD TR 1 OR 2 A350-A-24-3X AMM
TURBULENCE FAULTS	CYCLE PRIMS AND SEC'S SWITCHES, NO HELP REALIGN ADIRU'S
VFG OIL LEVEL MON DISPLAYED(REMOVE BYPASS PIN DISC TOW BAR)	CYCLE GEN PB(7 MIN). IF NO HELP, DUE BITE TEST EPGS TEST.
Water Qty Reset and Bite	38/PWS/System Test. Reset CB 3503-MA
YELLOW HYDRAULIC PUMP INOP NO FAULTS	Do cold start, A350-A-24-XX-XX-01001-132A-A/EPDC2